BRAIN RESEARCH

VOL. 574 NOS. 1/2 **CONTENTS** **6 MARCH 1992**

Announcement from the Publisher v

Research Reports

Photoreceptor differentiation in retinal xenografts of fetal monkey retina
M. del Cerro, J.H. Kordower, E. Lazar, D.A. Grover and C. del Cerro (U.S.A.) 1

Differential effects of excitotoxic basolateral and corticomedial lesions of the amygdala on the behavioural and endocrine responses to either sexual or aggression-promoting stimuli in the male rat
A. McGregor and J. Herbert (U.K.) 9

Glycine response in isolated dorsal cochlear nucleus of C57BL/6J mouse
S. Kakehata, T. Nakagawa, T. Takasaka and N. Akaike (Japan) 21

Regional variations in particulate cyclic AMP dependent-protein kinase binding activity in the gerbil hippocampus following transient forebrain ischemia by [^{3}H]cyclic AMP binding
H. Hara, H. Kato, H. Onodera, J.-i. Kawagoe and K. Kogure (Japan) 26

Secretion from rat neurohypophysial nerve terminals (neurosecretosomes) rapidly inactivates despite continued elevation of intracellular Ca^{2+}
A. Fatatis, L. Holtzclaw, K. Payza and J.T. Russell (U.S.A., Italy) 33

In vivo modulation of excitatory amino acid receptors: microdialysis studies on *N*-methyl-D-aspartate-evoked striatal dopamine release and effects of antagonists
D.P. Carrozza, T.N. Ferraro, G.T. Golden, P.F. Reyes and T.A. Hare (U.S.A.) 42

Dopamine inhibits voltage-activated calcium channel currents in rat pars intermedia pituitary cells
I. Nussinovitch and A.L. Kleinhaus (Israel, U.S.A.) 49

Differential vulnerability of neuropeptides in nerves of the vasa nervorum to streptozotocin-induced diabetes
P. Milner, O. Appenzeller, C. Qualls and G. Burnstock (U.K., U.S.A.) 56

Remote astrocytic response of prefrontal cortex is caused by the lesions in the nucleus basalis of Meynert, but not in the ventral tegmental area
T. Anezaki, K. Yanagisawa, H. Takahashi, T. Nakajima, K. Miyashita, A. Ishikawa, F. Ikuta and T. Miyatake (Japan) 63

CRF in the paraventricular nucleus of the hypothalamus induces dose-related behavioral profile in rats
H. Mönnikes, I. Heymann-Mönnikes and Y. Taché (U.S.A.) 70

Behavioural and neurohistological changes in aging *Sepia*
M.-P. Chichery and R. Chichery (France) 77

Modulation of synaptic efficacy in field CA1 of the rat hippocampus by forskolin
L.E. Chavez-Noriega and C.F. Stevens (U.S.A.) 85

In vivo studies on the enhancement of serotonin reuptake by tianeptine
M. Grazia De Simoni, A. De Luigi, A. Clavenna and A. Manfridi (Italy) 93

The effect of chronic atypical antipsychotic drugs and haloperidol on amphetamine-induced dopamine release in vivo
J. Ichikawa and H.Y. Meltzer (U.S.A.) 98

Ultrastructural concomitants of anoxic injury and early post-anoxic recovery in rat optic nerve
S.G. Waxman, J.A. Black, P.K. Stys and B.R. Ransom (U.S.A.) 105

Repetitive transient forebrain ischemia in gerbils: delayed neuronal damage in the substantia nigra reticulata
A. Shuaib, S. Ijaz, J. Kalra and W. Code (Canada) 120

Dissociation between in vivo hippocampal norepinephrine response and behavioral/neuroendocrine responses to noise stress in rats
K. Thatcher Britton, D.S. Segal, R. Kuczenski and R. Hauger (U.S.A.) 125

Prenatal stress alters brain catecholaminergic activity and potentiates stress-induced behavior in adult rats
L.K. Takahashi, J.G. Turner and N.H. Kalin (U.S.A.) 131

Activation of κ-opioid receptors inhibits depolarisation-evoked exocytosis but not the rise in intracellular Ca^{2+} in secretory nerve terminals of the neurohypophysis
M. Kato, C. Chapman and R.J. Bicknell (U.K.) 138

Excitatory inputs to layer V pyramidal cells of rat primary visual cortex revealed by acetylcholine activation
G. Kenan-Vaknin, R. Malach and M. Segal (Israel) 147

Calcitonin gene-related peptide enhances substance P-induced behaviors via metabolic inhibition: in vivo evidence for a new mechanism of neuromodulation
J. Mao, R.C. Coghill, D.E. Kellstein, H. Frenk and D.J. Mayer (U.S.A., Israel) 157

Differential effect of self-stimulation on dopamine release and metabolism in the rat medial frontal cortex, nucleus accumbens and striatum studied by in vivo microdialysis
D. Nakahara, K. Fuchikami, N. Ozaki, T. Iwasaki and T. Nagatsu (Japan) 164

The effect of the NMDA receptor antagonist MK-801 on cerebral blood flow and infarct volume in experimental focal stroke
A.M. Buchan, A. Slivka and D. Xue (Canada) 171

Conduction properties of central nerve fibers remyelinated by Schwann cells
P.A. Felts and K.J. Smith (U.S.A., U.K.) 178

(contents continued on p. 359)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

BRAIN RESEARCH

VOL. 574 NOS. 1/2 **CONTENTS** **6 MARCH 1992**

Announcement from the Publisher v

Research Reports

Photoreceptor differentiation in retinal xenografts of fetal monkey retina
M. del Cerro, J.H. Kordower, E. Lazar, D.A. Grover and C. del Cerro (U.S.A.) 1

Differential effects of excitotoxic basolateral and corticomedial lesions of the amygdala on the behavioural and endocrine responses to either sexual or aggression-promoting stimuli in the male rat
A. McGregor and J. Herbert (U.K.) 9

Glycine response in isolated dorsal cochlear nucleus of C57BL/6J mouse
S. Kakehata, T. Nakagawa, T. Takasaka and N. Akaike (Japan) 21

Regional variations in particulate cyclic AMP dependent-protein kinase binding activity in the gerbil hippocampus following transient forebrain ischemia by [^{3}H]cyclic AMP binding
H. Hara, H. Kato, H. Onodera, J.-i. Kawagoe and K. Kogure (Japan) 26

Secretion from rat neurohypophysial nerve terminals (neurosecretosomes) rapidly inactivates despite continued elevation of intracellular Ca^{2+}
A. Fatatis, L. Holtzclaw, K. Payza and J.T. Russell (U.S.A., Italy) 33

In vivo modulation of excitatory amino acid receptors: microdialysis studies on *N*-methyl-D-aspartate-evoked striatal dopamine release and effects of antagonists
D.P. Carrozza, T.N. Ferraro, G.T. Golden, P.F. Reyes and T.A. Hare (U.S.A.) 42

Dopamine inhibits voltage-activated calcium channel currents in rat pars intermedia pituitary cells
I. Nussinovitch and A.L. Kleinhaus (Israel, U.S.A.) 49

Differential vulnerability of neuropeptides in nerves of the vasa nervorum to streptozotocin-induced diabetes
P. Milner, O. Appenzeller, C. Qualls and G. Burnstock (U.K., U.S.A.) 56

Remote astrocytic response of prefrontal cortex is caused by the lesions in the nucleus basalis of Meynert, but not in the ventral tegmental area
T. Anezaki, K. Yanagisawa, H. Takahashi, T. Nakajima, K. Miyashita, A. Ishikawa, F. Ikuta and T. Miyatake (Japan) 63

CRF in the paraventricular nucleus of the hypothalamus induces dose-related behavioral profile in rats
H. Mönnikes, I. Heymann-Mönnikes and Y. Taché (U.S.A.) 70

Behavioural and neurohistological changes in aging *Sepia*
M.-P. Chichery and R. Chichery (France) 77

Modulation of synaptic efficacy in field CA1 of the rat hippocampus by forskolin
L.E. Chavez-Noriega and C.F. Stevens (U.S.A.) 85

In vivo studies on the enhancement of serotonin reuptake by tianeptine
M. Grazia De Simoni, A. De Luigi, A. Clavenna and A. Manfridi (Italy) 93

The effect of chronic atypical antipsychotic drugs and haloperidol on amphetamine-induced dopamine release in vivo
J. Ichikawa and H.Y. Meltzer (U.S.A.) 98

Ultrastructural concomitants of anoxic injury and early post-anoxic recovery in rat optic nerve
S.G. Waxman, J.A. Black, P.K. Stys and B.R. Ransom (U.S.A.) 105

Repetitive transient forebrain ischemia in gerbils: delayed neuronal damage in the substantia nigra reticulata
A. Shuaib, S. Ijaz, J. Kalra and W. Code (Canada) 120

Dissociation between in vivo hippocampal norepinephrine response and behavioral/neuroendocrine responses to noise stress in rats
K. Thatcher Britton, D.S. Segal, R. Kuczenski and R. Hauger (U.S.A.) 125

Prenatal stress alters brain catecholaminergic activity and potentiates stress-induced behavior in adult rats
L.K. Takahashi, J.G. Turner and N.H. Kalin (U.S.A.) 131

Activation of κ-opioid receptors inhibits depolarisation-evoked exocytosis but not the rise in intracellular Ca^{2+} in secretory nerve terminals of the neurohypophysis
M. Kato, C. Chapman and R.J. Bicknell (U.K.) 138

Excitatory inputs to layer V pyramidal cells of rat primary visual cortex revealed by acetylcholine activation
G. Kenan-Vaknin, R. Malach and M. Segal (Israel) 147

Calcitonin gene-related peptide enhances substance P-induced behaviors via metabolic inhibition: in vivo evidence for a new mechanism of neuromodulation
J. Mao, R.C. Coghill, D.E. Kellstein, H. Frenk and D.J. Mayer (U.S.A., Israel) 157

Differential effect of self-stimulation on dopamine release and metabolism in the rat medial frontal cortex, nucleus accumbens and striatum studied by in vivo microdialysis
D. Nakahara, K. Fuchikami, N. Ozaki, T. Iwasaki and T. Nagatsu (Japan) 164

The effect of the NMDA receptor antagonist MK-801 on cerebral blood flow and infarct volume in experimental focal stroke
A.M. Buchan, A. Slivka and D. Xue (Canada) 171

Conduction properties of central nerve fibers remyelinated by Schwann cells
P.A. Felts and K.J. Smith (U.S.A., U.K.) 178

(contents continued on p. 359)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

Neuroprotective effects of phenyl-t-butyl-nitrone in gerbil global brain ischemia and in cultured rat cerebellar neurons
T.-L. Yue, J.-L. Gu, P.G. Lysko, H.-Y. Cheng, F.C. Barone and G. Feuerstein (U.S.A.) 193
Gender differences in correlations of cerebral glucose matabolic rates in young normal adults
N.P. Azari, S.I. Rapoport, C.L. Grady, C. DeCarli, J.V. Haxby, M.B. Schapiro and B. Horwitz (U.S.A.) 198
Phorbol ester enhances excitatory amino acid-induced dopamine release from mesencephalic cell cultures
P. Boksa, H. Mount and I. Chaudieu (Canada) 209
Signal shaping by voltage-gated currents in retinal ganglion cells
P. Mobbs, K. Everett and A. Cook 217
Quantitation of ventricular size in normal and spontaneously hypertensive rats by magnetic resonance imaging
P. Bendel and R. Eilam (Israel) 224
Voltage-gated potassium current and resonance in the toadfish saccular hair cell
A. Steinacker and A. Romero (U.S.A.) 229
Stimulation of substantia nigra pars reticulata suppresses neocortical seizures
B. Boda and M.B. Szente (Hungary) 237
L1 immunoreactivity in the developing fish visual system
E. Blaugrund, S. Sharma and M. Schwartz (Israel, U.S.A.) 244
Differential inhibition by NMDA antagonists of rapid tolerance to, and cross-tolerance between, ethanol and chlordiazepoxide
J.M. Khanna, S.J. Mihic, J. Weiner, G. Shah, P.H. Wu and H. Kalant (Canada) 251
Characterization of a neurotrophic factor produced by cultured astrocytes involved in the regulation of subcortical cholinergic neurons
C.W. Gray and A.J. Patel (U.K.) 257
5-Hydroxytryptamine stimulates corticosteroid-sensitive CRF release from cultured foetal hypothalamic cells. Role of protein kinases
S.-B. Hu, S.L. Lightman and L.A. Tannahill (U.K.) 266
Chronic exposure to alcohol during development alters the responses to excitatory amino acids in cultured Purkinje neurons
D.L. Gruol (U.S.A.) 271
Neuroanatomical specificity in the autoregulation of aromatase-immunoreactive neurons by androgens and estrogens: an immunocytochemical study
J. Balthazart, A. Foidart, C. Surlemont, N. Harada and F. Naftolin (Belgium, Japan, U.S.A.) 280
Transneuronal labeling of spinal interneurons and sympathetic preganglionic neurons after pseudorabies virus injections in the rat medial gastrocnemius muscle
D.M. Rotto-Percelay, J.G. Wheeler, F.A. Osorio, K.B. Platt and A.D. Loewy (U.S.A.) 291

Short Communications

Interneurons in the rat striatum: relationships between parvalbumin neurons and cholinergic neurons
H.T. Chang and H. Kita (U.S.A.) 307
Localization of amyloid precursor protein in GAP43-immunoreactive aberrant sprouting neurites in Alzheimer's disease
E. Masliah, M. Mallory, L. Hansen, M. Alford, R. DeTeresa, R. Terry, J. Baudier and T. Saitoh (U.S.A., France) 312
Galanin-evoked acetylcholine release in the rat striatum is blocked by the putative galanin antagonist M15
A. Pramanik and S.O. Ögren (Sweden) 317
Electrical stimulation of nucleus tractus solitarius excites vagal preganglionic cardiomotor neurons of the nucleus ambiguus in rats
S.K. Agarwal and F.R. Calaresu (Canada) 320
Possible role of surface potential in the gating mechanism of Ca^{2+} channels in cat adrenal chromaffin cells: studies with fura-2 microfluorometry
M. Sorimachi, S. Nishimura and K. Yamagami (Japan) 325
Bulbar reticular neurons relaying somatosensory information to the mesencephalic parabrachial area of the cat
H. Hayashi, T. Toda and T. Tabata (Japan) 329
Quantitative autoradiographic localization of [^{125}I]neuropeptide Y receptor binding sites in rat spinal cord and the effects of neonatal capsaicin, dorsal rhizotomy and peripheral axotomy
S. Kar and R. Quirion (Canada) 333
Cross-adapted salt responses in the mouse taste cell
K. Tonosaki (Japan) 338
Chronic estradiol administration did not cause loss of hypothalamic LHRH or TIDA neurons in young or middle-aged C57BL/6J mice
S.G. Kohama, S.A. Brown, C.E. Finch and T.H. McNeill (U.S.A.) 341
Hippocampal pyramidal cell response to 6-hydroxydopamine lesions of the rat ventral tegmental area
R.M. Torack and J.W. Miller (U.S.A.) 345
Quantitative autoradiography of hemicholinium-3 binding sites in human amygdala
Steven S. Wolf, H. Robert Brashear, Claire A. Levesque and G. Frederick Wooten (U.S.A.) 349
α_2-Adrenoceptor density in forebrain areas of Zucker rats: no effect of genetic obesity or antiglucocorticoid treatment
U. Pesonen, T. Miettinen, M. Scheinin and M. Koulu (Finland) 353

Author Index 357